

## Part 4 Indoor Environmental Quality

### NRB 4-2 Noise Level

Actual Assessment Submission Site Verification Submission 

Criteria	Credit Available	Credit Claimed
Achieve ambient internal noise level	1	

#### Strategies:

**Documentary Evidences:**

*Order of documents to be submitted accordingly and clearly labeled.*

Actual Assessment	Submitter	Assessor								
1. Extracts of the tender specification showing the requirement to design the occupied space with partitions meeting the required STC ratings as per table below:	<input type="checkbox"/>	<input type="checkbox"/>								
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Location</th> <th style="text-align: center;">STC rating of partitions</th> </tr> </thead> <tbody> <tr> <td>Between General Office Space</td> <td style="text-align: center;">40 - 50</td> </tr> <tr> <td>Hotel Rooms, Classrooms, Lecture Theaters, Meeting Rooms, Conference Rooms and spaces where confidential speech is required</td> <td style="text-align: center;">50 - 60</td> </tr> <tr> <td>Between Mechanical / Equipment spaces and occupied spaces</td> <td style="text-align: center;">50 - 60</td> </tr> </tbody> </table>			Location	STC rating of partitions	Between General Office Space	40 - 50	Hotel Rooms, Classrooms, Lecture Theaters, Meeting Rooms, Conference Rooms and spaces where confidential speech is required	50 - 60	Between Mechanical / Equipment spaces and occupied spaces	50 - 60
Location	STC rating of partitions									
Between General Office Space	40 - 50									
Hotel Rooms, Classrooms, Lecture Theaters, Meeting Rooms, Conference Rooms and spaces where confidential speech is required	50 - 60									
Between Mechanical / Equipment spaces and occupied spaces	50 - 60									
2. Architectural & structural plan layout, elevation and sectional plans showing types of wall system used, dimensions and size of all building and structural elements with STC ratings.	<input type="checkbox"/>	<input type="checkbox"/>								
OR										
3. A report of detail analysis and recommendations from acoustic consultant (if applicable).	<input type="checkbox"/>	<input type="checkbox"/>								

Site Verification	Submitter	Assessor
1. As-built architectural & structural plan layout, elevation and sectional plans showing types of wall system used, dimensions and size of all building and structural elements.	<input type="checkbox"/>	<input type="checkbox"/>
2. As-built layout with walls and floors noise attenuation properties and STC values to be clearly marked.	<input type="checkbox"/>	<input type="checkbox"/>
3. Commissioning report of noise level (if applicable).	<input type="checkbox"/>	<input type="checkbox"/>
4. Photographic evidences.	<input type="checkbox"/>	<input type="checkbox"/>
5. Describe any deviations or changes to the AA submission.	<input type="checkbox"/>	<input type="checkbox"/>